



WOVEN WIRE MESH SIEVES - OTHER FRAME DIAMETERS

The well-proven RETSCH sieves consist of a solid stainless steel sieve frame of high stability for reliable sieving results. Paying close attention to mesh-specific requirements, the sieve fabric is precisely joined into the frame and tautened. RETSCH test sieve provides a clear and accurate labeling with full traceability.

The sieves can be easily combined with all other sieve brands. Each sieve that leaves our company comes with a test report or, at your request, with a special inspection certificate in conformity with **national and international standards (PDF)**. RETSCH calibration certificates confirm a great number of precision measurements, thus ensuring an even higher statistical reliability for your quality control.

RETSCH test sieves are available in many sizes and varieties.

PRODUCT ADVANTAGES

- | sieve meshes, frames and labeling comply with standards
- | tested 5 times, with quality certificate
- | according to DIN ISO, ASTM
- | individual inspection certificate for test materials monitoring according to ISO 9000 ff available on request
- | stainless steel sieves, 20 µm to 125 mm

APPLICATION EXAMPLES

RETSCH's woven wire mesh sieves are ideally suited for separation, fractioning and particle size determination of cement clinker, chemicals, coffee, construction materials, fertilizers, fillers, flours, grains, metals powders, minerals, nuts, plastics, sand, seeds, soils and washing powder.

WOVEN WIRE MESH SIEVES - OTHER FRAME DIAMETERS

TECHNICAL DATA



| | |
|-----------------------------|--|
| Applications | separation, fractioning, particle size determination |
| Field of application | agriculture, biology, chemistry / plastics, construction materials, engineering / electronics, environment / recycling, food, geology / metallurgy, glass / ceramics, medicine / pharmaceuticals |
| Feed material | powders, bulk materials, suspensions |
| Frame diameter | ø 100 mm / 305 mm / 400 mm / 450 mm |
| Surface type | wire gauze |
| Mesh sizes | 125 mm - 20 µm |
| Standards | ISO 3310-1 / ASTM E11 |

www.retsch.com/sieve







ORDER DATA

ACCESSORIES FOR TEST SIEVES (PANS, RINGS, LIDS)







FOR TEST SIEVES 100 MM Ø

| | | |
|---------------|---|---|
| 60.010.000100 |  | Collecting pan, stainless steel, 100 mm Ø, height 40 mm |
| 60.220.000100 | | Intermediate pan, stainless steel, 100 mm Ø, height 40 mm |
| 60.935.000100 |  | Intermediate ring, stainless steel, 100 mm Ø, height 40 mm |
| 60.107.000100 |  | Sieve lid, stainless steel, 100 mm Ø |
| 60.010.100100 |  | Collecting pan with outlet, stainless steel, 100 mm Ø, height 40 mm |
| 05.114.0045 |  | O-ring for test sieves, 100 mm Ø |






FOR TEST SIEVES 305 MM Ø

| | | |
|---------------|---|---|
| 60.010.000305 |  | Collecting pan, stainless steel, 305 mm Ø, height 40 mm |
| 69.230.0050 |  | Intermediate pan, stainless steel, 305 mm Ø, height 40 mm |
| 60.935.000305 |  | Intermediate ring, stainless steel, 305 mm Ø, height 40 mm |
| 60.107.000305 | | Sieve lid, stainless steel, 305 mm Ø |
| 69.430.0050 |  | Collecting pan with outlet, stainless steel, 305 mm Ø, height 56 mm |
| 69.321.0050 |  | Venting ring for wet sieving, stainless steel, 305 mm Ø, height 40 mm |
| 05.114.0047 |  | O-ring for test sieves, 305 mm Ø |

FOR TEST SIEVES 400 MM Ø

| | | |
|---------------|--|---|
| 60.010.000400 |  | Collecting pan, stainless steel, 400 mm Ø, height 65 mm |
| 60.220.000400 |  | Intermediate pan, stainless steel, 400 mm Ø, height 65 mm |
| 60.935.000400 |  | Intermediate ring, stainless steel, 400 mm Ø, height 65 mm |
| 60.107.000400 |  | Sieve lid, stainless steel, 400 mm Ø |
| 69.440.0070 |  | Collecting pan with outlet, stainless steel, 400 mm Ø, height 70 mm |
| 69.421.000400 | | Venting ring for wet sieving, stainless steel, 400 mm Ø, height 65 mm |
| 05.114.0048 |  | O-ring for test sieves, 400 mm Ø |

FOR TEST SIEVES 450 MM Ø

| | | |
|---------------|---|--|
| 60.010.000450 |  | Collecting pan, stainless steel, 450 mm Ø, height 50 mm |
| 60.220.000450 |  | Intermediate pan, stainless steel, 450 mm Ø, height 100 mm |
| 60.935.000450 |  | Intermediate ring, stainless steel, 450 mm Ø, height 100 mm |
| 69.545.0050 |  | Sieve lid, stainless steel, 450 mm Ø |
| 69.445.0084 | | Collecting pan with outlet, stainless steel, 450 mm Ø, height 85 mm |
| 69.421.000450 | | Venting ring for wet sieving, stainless steel, 450 mm Ø, height 100 mm |
| 05.114.0012 |  | O-ring for test sieves, 450 mm Ø |

TEST SIEVES

TEST SIEVES Ø 100 MM - 40 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | ø | height | standard |
|---------------|--------|------------|--------|--------|------------|
| 60.106.000020 | 20 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000025 | 25 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000032 | 32 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000036 | 36 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000038 | 38 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000040 | 40 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000045 | 45 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000050 | 50 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000053 | 53 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000056 | 56 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000063 | 63 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000071 | 71 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000075 | 75 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000080 | 80 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000090 | 90 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000100 | 100 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000106 | 106 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000112 | 112 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000125 | 125 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000140 | 140 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000150 | 150 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000160 | 160 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000180 | 180 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000200 | 200 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000212 | 212 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000224 | 224 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000250 | 250 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000280 | 280 µm | - | 100 mm | 40 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|-------|------------|
| 60.106.000300 | 300 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000315 | 315 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000355 | 355 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000400 | 400 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000425 | 425 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000450 | 450 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000500 | 500 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000560 | 560 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000600 | 600 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000630 | 630 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000710 | 710 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000800 | 800 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000850 | 850 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.000900 | 900 µm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001000 | 1.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001120 | 1.12 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001180 | 1.18 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001250 | 1.25 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001400 | 1.40 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001600 | 1.60 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001700 | 1.70 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.001800 | 1.80 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.002000 | 2.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.002240 | 2.24 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.002360 | 2.36 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.002500 | 2.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.002800 | 2.80 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.003150 | 3.15 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.003350 | 3.35 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.003550 | 3.55 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.004000 | 4.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|-------|------------|
| 60.106.004500 | 4.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.004750 | 4.75 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.005000 | 5.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.005600 | 5.60 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.006300 | 6.30 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.006700 | 6.70 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.007100 | 7.10 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.008000 | 8.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.009000 | 9.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.009500 | 9.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.010000 | 10.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.011200 | 11.20 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.012500 | 12.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.013200 | 13.20 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.014000 | 14.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.016000 | 16.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.018000 | 18.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.019000 | 19.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.020000 | 20.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.022400 | 22.40 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.025000 | 25.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.026500 | 26.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.028000 | 28.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.031500 | 31.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.035500 | 35.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.037500 | 37.50 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.040000 | 40.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |
| 60.106.045000 | 45.00 mm | - | 100 mm | 40 mm | ISO 3310/1 |

TEST SIEVES Ø 305 MM - 40 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | ø | height | standard |
|---------------|--------|------------|--------|--------|------------|
| 60.158.000025 | 25 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000032 | 32 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000036 | 36 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000038 | 38 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000040 | 40 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000045 | 45 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000050 | 50 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000053 | 53 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000056 | 56 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000063 | 63 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000071 | 71 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000075 | 75 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000080 | 80 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000090 | 90 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000100 | 100 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000106 | 106 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000112 | 112 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000125 | 125 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000140 | 140 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000150 | 150 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000160 | 160 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000180 | 180 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000200 | 200 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000212 | 212 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000224 | 224 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000250 | 250 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000280 | 280 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000300 | 300 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000315 | 315 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000355 | 355 µm | - | 305 mm | 40 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|-------|------------|
| 60.158.000400 | 400 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000425 | 425 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000450 | 450 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000500 | 500 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000560 | 560 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000600 | 600 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000630 | 630 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000710 | 710 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000800 | 800 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000850 | 850 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.000900 | 900 µm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001000 | 1.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001120 | 1.12 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001180 | 1.18 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001250 | 1.25 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001400 | 1.40 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001600 | 1.60 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001700 | 1.70 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.001800 | 1.80 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.002000 | 2.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.002240 | 2.24 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.002360 | 2.36 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.002500 | 2.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.002800 | 2.80 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.003150 | 3.15 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.003350 | 3.35 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.003550 | 3.55 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.004000 | 4.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.004500 | 4.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.004750 | 4.75 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.005000 | 5.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|-------|------------|
| 60.158.005600 | 5.60 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.006300 | 6.30 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.006700 | 6.70 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.007100 | 7.10 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.008000 | 8.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.009000 | 9.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.009500 | 9.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.010000 | 10.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.011200 | 11.20 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.012500 | 12.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.013200 | 13.20 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.014000 | 14.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.016000 | 16.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.018000 | 18.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.019000 | 19.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.020000 | 20.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.022400 | 22.40 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.025000 | 25.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.026500 | 26.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.028000 | 28.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.031500 | 31.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.035500 | 35.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.037500 | 37.50 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.040000 | 40.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.045000 | 45.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.050000 | 50.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.053000 | 53.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.056000 | 56.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.063000 | 63.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.071000 | 71.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.075000 | 75.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|--------|-------|------------|
| 60.158.080000 | 80.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.090000 | 90.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.100000 | 100.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.106000 | 106.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.112000 | 112.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |
| 60.158.125000 | 125.00 mm | - | 305 mm | 40 mm | ISO 3310/1 |

TEST SIEVES Ø 400 MM - 65 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|------------|
| 60.166.000025 | 25 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000032 | 32 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000036 | 36 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000038 | 38 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000040 | 40 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000045 | 45 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000050 | 50 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000053 | 53 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000056 | 56 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000063 | 63 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000071 | 71 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000075 | 75 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000080 | 80 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000090 | 90 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000100 | 100 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000106 | 106 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000112 | 112 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000125 | 125 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000140 | 140 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000150 | 150 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000160 | 160 µm | - | 400 mm | 65 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|-------|------------|
| 60.166.000180 | 180 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000200 | 200 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000212 | 212 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000224 | 224 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000250 | 250 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000280 | 280 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000300 | 300 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000315 | 315 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000355 | 355 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000400 | 400 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000425 | 425 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000450 | 450 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000500 | 500 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000560 | 560 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000600 | 600 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000630 | 630 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000710 | 710 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000800 | 800 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000850 | 850 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.000900 | 900 µm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001000 | 1.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001120 | 1.12 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001180 | 1.18 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001250 | 1.25 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001400 | 1.40 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001600 | 1.60 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001700 | 1.70 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.001800 | 1.80 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.002000 | 2.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.002240 | 2.24 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.002360 | 2.36 mm | - | 400 mm | 65 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|-------|------------|
| 60.166.002500 | 2.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.002800 | 2.80 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.003150 | 3.15 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.003350 | 3.35 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.003550 | 3.55 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.004000 | 4.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.004500 | 4.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.004750 | 4.75 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.005000 | 5.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.005600 | 5.60 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.006300 | 6.30 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.006700 | 6.70 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.007100 | 7.10 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.008000 | 8.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.009000 | 9.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.009500 | 9.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.010000 | 10.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.011200 | 11.20 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.012500 | 12.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.013200 | 13.20 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.014000 | 14.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.016000 | 16.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.018000 | 18.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.019000 | 19.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.020000 | 20.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.022400 | 22.40 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.025000 | 25.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.026500 | 26.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.028000 | 28.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.031500 | 31.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.035500 | 35.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|--------|-------|------------|
| 60.166.037500 | 37.50 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.040000 | 40.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.045000 | 45.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.050000 | 50.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.053000 | 53.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.056000 | 56.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.063000 | 63.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.071000 | 71.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.075000 | 75.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.080000 | 80.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.090000 | 90.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.100000 | 100.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.106000 | 106.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.112000 | 112.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |
| 60.166.125000 | 125.00 mm | - | 400 mm | 65 mm | ISO 3310/1 |

TEST SIEVES Ø 450 MM - 100 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL /WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|-------|------------|--------|--------|------------|
| 60.168.000036 | 36 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000038 | 38 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000040 | 40 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000045 | 45 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000050 | 50 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000053 | 53 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000056 | 56 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000063 | 63 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000071 | 71 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000075 | 75 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000080 | 80 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000090 | 90 µm | - | 450 mm | 100 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|--------|------------|
| 60.168.000100 | 100 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000106 | 106 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000112 | 112 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000125 | 125 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000140 | 140 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000150 | 150 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000160 | 160 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000180 | 180 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000200 | 200 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000212 | 212 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000224 | 224 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000250 | 250 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000280 | 280 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000300 | 300 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000315 | 315 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000355 | 355 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000400 | 400 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000425 | 425 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000450 | 450 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000500 | 500 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000560 | 560 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000600 | 600 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000630 | 630 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000710 | 710 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000800 | 800 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000850 | 850 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.000900 | 900 µm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001000 | 1.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001120 | 1.12 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001180 | 1.18 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001250 | 1.25 mm | - | 450 mm | 100 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|--------|------------|
| 60.168.001400 | 1.40 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001600 | 1.60 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001700 | 1.70 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.001800 | 1.80 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.002000 | 2.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.002240 | 2.24 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.002360 | 2.36 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.002500 | 2.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.002800 | 2.80 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.003150 | 3.15 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.003350 | 3.35 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.003550 | 3.55 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.004000 | 4.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.004500 | 4.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.004750 | 4.75 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.005000 | 5.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.005600 | 5.60 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.006300 | 6.30 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.006700 | 6.70 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.007100 | 7.10 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.008000 | 8.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.009000 | 9.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.009500 | 9.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.010000 | 10.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.011200 | 11.20 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.012500 | 12.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.013200 | 13.20 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.014000 | 14.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.016000 | 16.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.018000 | 18.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.019000 | 19.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|--------|--------|------------|
| 60.168.020000 | 20.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.022400 | 22.40 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.025000 | 25.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.026500 | 26.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.028000 | 28.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.031500 | 31.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.035500 | 35.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.037500 | 37.50 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.040000 | 40.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.045000 | 45.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.050000 | 50.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.053000 | 53.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.056000 | 56.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.063000 | 63.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.071000 | 71.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.075000 | 75.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.080000 | 80.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.090000 | 90.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.100000 | 100.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.106000 | 106.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.112000 | 112.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |
| 60.168.125000 | 125.00 mm | - | 450 mm | 100 mm | ISO 3310/1 |

TEST SIEVES Ø 100 MM - 40 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | ø | height | standard |
|---------------|-------|------------|--------|--------|----------|
| 60.108.000020 | 20 µm | 635 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000025 | 25 µm | 500 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000032 | 32 µm | 450 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000038 | 38 µm | 400 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000045 | 45 µm | 325 Mesh | 100 mm | 40 mm | ASTM E11 |

| | | | | | |
|---------------|---------|----------|--------|-------|----------|
| 60.108.000053 | 53 µm | 270 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000063 | 63 µm | 230 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000075 | 75 µm | 200 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000090 | 90 µm | 170 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000106 | 106 µm | 140 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000125 | 125 µm | 120 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000150 | 150 µm | 100 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000180 | 180 µm | 80 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000212 | 212 µm | 70 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000250 | 250 µm | 60 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000300 | 300 µm | 50 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000355 | 355 µm | 45 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000425 | 425 µm | 40 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000500 | 500 µm | 35 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000600 | 600 µm | 30 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000710 | 710 µm | 25 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.000850 | 850 µm | 20 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.001000 | 1.00 mm | 18 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.001180 | 1.18 mm | 16 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.001400 | 1.40 mm | 14 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.001700 | 1.70 mm | 12 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.002000 | 2.00 mm | 10 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.002360 | 2.36 mm | 8 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.002800 | 2.80 mm | 7 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.003350 | 3.35 mm | 6 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.004000 | 4.00 mm | 5 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.004750 | 4.75 mm | 4 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.005600 | 5.60 mm | 3.5 Mesh | 100 mm | 40 mm | ASTM E11 |
| 60.108.006300 | 6.30 mm | 1/4" | 100 mm | 40 mm | ASTM E11 |
| 60.108.006700 | 6.70 mm | 0.265" | 100 mm | 40 mm | ASTM E11 |
| 60.108.008000 | 8.00 mm | 5/16" | 100 mm | 40 mm | ASTM E11 |

| | | | | | |
|---------------|----------|--------|--------|-------|----------|
| 60.108.009500 | 9.50 mm | 3/8" | 100 mm | 40 mm | ASTM E11 |
| 60.108.011200 | 11.20 mm | 7/16" | 100 mm | 40 mm | ASTM E11 |
| 60.108.012500 | 12.50 mm | 1/2" | 100 mm | 40 mm | ASTM E11 |
| 60.108.013200 | 13.20 mm | 0.530" | 100 mm | 40 mm | ASTM E11 |
| 60.108.016000 | 16.00 mm | 5/8" | 100 mm | 40 mm | ASTM E11 |
| 60.108.019000 | 19.00 mm | 3/4" | 100 mm | 40 mm | ASTM E11 |
| 60.108.022400 | 22.40 mm | 7/8" | 100 mm | 40 mm | ASTM E11 |
| 60.108.025000 | 25.00 mm | 1" | 100 mm | 40 mm | ASTM E11 |
| 60.108.026500 | 26.50 mm | 1.06" | 100 mm | 40 mm | ASTM E11 |
| 60.108.031500 | 31.50 mm | 1 1/4" | 100 mm | 40 mm | ASTM E11 |
| 60.108.037500 | 37.50 mm | 1 1/2" | 100 mm | 40 mm | ASTM E11 |
| 60.108.045000 | 45.00 mm | 1 3/4" | 100 mm | 40 mm | ASTM E11 |

TEST SIEVES Ø 305 MM - 40 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|----------|
| 60.159.000025 | 25 µm | 500 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000032 | 32 µm | 450 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000038 | 38 µm | 400 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000045 | 45 µm | 325 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000053 | 53 µm | 270 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000063 | 63 µm | 230 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000075 | 75 µm | 200 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000090 | 90 µm | 170 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000106 | 106 µm | 140 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000125 | 125 µm | 120 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000150 | 150 µm | 100 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000180 | 180 µm | 80 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000212 | 212 µm | 70 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000250 | 250 µm | 60 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000300 | 300 µm | 50 Mesh | 305 mm | 40 mm | ASTM E11 |

| | | | | | |
|---------------|----------|----------|--------|-------|----------|
| 60.159.000355 | 355 µm | 45 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000425 | 425 µm | 40 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000500 | 500 µm | 35 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000600 | 600 µm | 30 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000710 | 710 µm | 25 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.000850 | 850 µm | 20 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.001000 | 1.00 mm | 18 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.001180 | 1.18 mm | 16 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.001400 | 1.40 mm | 14 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.001700 | 1.70 mm | 12 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.002000 | 2.00 mm | 10 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.002360 | 2.36 mm | 8 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.002800 | 2.80 mm | 7 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.003350 | 3.35 mm | 6 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.004000 | 4.00 mm | 5 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.004750 | 4.75 mm | 4 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.005600 | 5.60 mm | 3.5 Mesh | 305 mm | 40 mm | ASTM E11 |
| 60.159.006300 | 6.30 mm | 1/4" | 305 mm | 40 mm | ASTM E11 |
| 60.159.006700 | 6.70 mm | 0.265" | 305 mm | 40 mm | ASTM E11 |
| 60.159.008000 | 8.00 mm | 5/16" | 305 mm | 40 mm | ASTM E11 |
| 60.159.009500 | 9.50 mm | 3/8" | 305 mm | 40 mm | ASTM E11 |
| 60.159.011200 | 11.20 mm | 7/16" | 305 mm | 40 mm | ASTM E11 |
| 60.159.012500 | 12.50 mm | 1/2" | 305 mm | 40 mm | ASTM E11 |
| 60.159.013200 | 13.20 mm | 0.530" | 305 mm | 40 mm | ASTM E11 |
| 60.159.016000 | 16.00 mm | 5/8" | 305 mm | 40 mm | ASTM E11 |
| 60.159.019000 | 19.00 mm | 3/4" | 305 mm | 40 mm | ASTM E11 |
| 60.159.022400 | 22.40 mm | 7/8" | 305 mm | 40 mm | ASTM E11 |
| 60.159.025000 | 25.00 mm | 1" | 305 mm | 40 mm | ASTM E11 |
| 60.159.026500 | 26.50 mm | 1.06" | 305 mm | 40 mm | ASTM E11 |
| 60.159.031500 | 31.50 mm | 1 1/4" | 305 mm | 40 mm | ASTM E11 |
| 60.159.037500 | 37.50 mm | 1 1/2" | 305 mm | 40 mm | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|--------|-------|----------|
| 60.159.045000 | 45.00 mm | 13/4" | 305 mm | 40 mm | ASTM E11 |
| 60.159.050000 | 50.00 mm | 2" | 305 mm | 40 mm | ASTM E11 |
| 60.159.053000 | 53.00 mm | 2.12" | 305 mm | 40 mm | ASTM E11 |
| 60.159.063000 | 63.00 mm | 2 1/2" | 305 mm | 40 mm | ASTM E11 |
| 60.159.075000 | 75.00 mm | 3" | 305 mm | 40 mm | ASTM E11 |
| 60.159.090000 | 90.00 mm | 3 1/2" | 305 mm | 40 mm | ASTM E11 |
| 60.159.100000 | 100.00 mm | 4" | 305 mm | 40 mm | ASTM E11 |
| 60.159.106000 | 106.00 mm | 4.24" | 305 mm | 40 mm | ASTM E11 |
| 60.159.125000 | 125.00 mm | 5" | 305 mm | 40 mm | ASTM E11 |

TEST SIEVES Ø 400 MM - 65 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|----------|
| 60.167.000025 | 25 µm | 500 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000032 | 32 µm | 450 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000038 | 38 µm | 400 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000045 | 45 µm | 325 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000053 | 53 µm | 270 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000063 | 63 µm | 230 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000075 | 75 µm | 200 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000090 | 90 µm | 170 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000106 | 106 µm | 140 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000125 | 125 µm | 120 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000150 | 150 µm | 100 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000180 | 180 µm | 80 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000212 | 212 µm | 70 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000250 | 250 µm | 60 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000300 | 300 µm | 50 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000355 | 355 µm | 45 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000425 | 425 µm | 40 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000500 | 500 µm | 35 Mesh | 400 mm | 65 mm | ASTM E11 |

| | | | | | |
|---------------|----------|----------|--------|-------|----------|
| 60.167.000600 | 600 µm | 30 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000710 | 710 µm | 25 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.000850 | 850 µm | 20 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.001000 | 1.00 mm | 18 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.001180 | 1.18 mm | 16 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.001400 | 1.40 mm | 14 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.001700 | 1.70 mm | 12 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.002000 | 2.00 mm | 10 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.002360 | 2.36 mm | 8 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.002800 | 2.80 mm | 7 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.003350 | 3.35 mm | 6 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.004000 | 4.00 mm | 5 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.004750 | 4.75 mm | 4 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.005600 | 5.60 mm | 3.5 Mesh | 400 mm | 65 mm | ASTM E11 |
| 60.167.006300 | 6.30 mm | 1/4" | 400 mm | 65 mm | ASTM E11 |
| 60.167.006700 | 6.70 mm | 0.265" | 400 mm | 65 mm | ASTM E11 |
| 60.167.008000 | 8.00 mm | 5/16" | 400 mm | 65 mm | ASTM E11 |
| 60.167.009500 | 9.50 mm | 3/8" | 400 mm | 65 mm | ASTM E11 |
| 60.167.011200 | 11.20 mm | 7/16" | 400 mm | 65 mm | ASTM E11 |
| 60.167.012500 | 12.50 mm | 1/2" | 400 mm | 65 mm | ASTM E11 |
| 60.167.013200 | 13.20 mm | 0.530" | 400 mm | 65 mm | ASTM E11 |
| 60.167.016000 | 16.00 mm | 5/8" | 400 mm | 65 mm | ASTM E11 |
| 60.167.019000 | 19.00 mm | 3/4" | 400 mm | 65 mm | ASTM E11 |
| 60.167.022400 | 22.40 mm | 7/8" | 400 mm | 65 mm | ASTM E11 |
| 60.167.025000 | 25.00 mm | 1" | 400 mm | 65 mm | ASTM E11 |
| 60.167.026500 | 26.50 mm | 1.06" | 400 mm | 65 mm | ASTM E11 |
| 60.167.031500 | 31.50 mm | 1 1/4" | 400 mm | 65 mm | ASTM E11 |
| 60.167.037500 | 37.50 mm | 1 1/2" | 400 mm | 65 mm | ASTM E11 |
| 60.167.045000 | 45.00 mm | 1 3/4" | 400 mm | 65 mm | ASTM E11 |
| 60.167.050000 | 50.00 mm | 2" | 400 mm | 65 mm | ASTM E11 |
| 60.167.053000 | 53.00 mm | 2.12" | 400 mm | 65 mm | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|--------|-------|----------|
| 60.167.063000 | 63.00 mm | 2 1/2" | 400 mm | 65 mm | ASTM E11 |
| 60.167.075000 | 75.00 mm | 3" | 400 mm | 65 mm | ASTM E11 |
| 60.167.090000 | 90.00 mm | 3 1/2" | 400 mm | 65 mm | ASTM E11 |
| 60.167.100000 | 100.00 mm | 4" | 400 mm | 65 mm | ASTM E11 |
| 60.167.106000 | 106.00 mm | 4.24" | 400 mm | 65 mm | ASTM E11 |
| 60.167.125000 | 125.00 mm | 5" | 400 mm | 65 mm | ASTM E11 |

TEST SIEVES Ø 450 MM - 100 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|---------|------------|--------|--------|----------|
| 60.169.000038 | 38 µm | 400 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000045 | 45 µm | 325 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000053 | 53 µm | 270 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000063 | 63 µm | 230 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000075 | 75 µm | 200 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000090 | 90 µm | 170 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000106 | 106 µm | 140 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000125 | 125 µm | 120 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000150 | 150 µm | 100 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000180 | 180 µm | 80 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000212 | 212 µm | 70 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000250 | 250 µm | 60 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000300 | 300 µm | 50 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000355 | 355 µm | 45 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000425 | 425 µm | 40 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000500 | 500 µm | 35 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000600 | 600 µm | 30 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000710 | 710 µm | 25 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.000850 | 850 µm | 20 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.001000 | 1.00 mm | 18 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.001180 | 1.18 mm | 16 Mesh | 450 mm | 100 mm | ASTM E11 |

| | | | | | |
|---------------|-----------|----------|--------|--------|----------|
| 60.169.001400 | 1.40 mm | 14 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.001700 | 1.70 mm | 12 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.002000 | 2.00 mm | 10 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.002360 | 2.36 mm | 8 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.002800 | 2.80 mm | 7 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.003350 | 3.35 mm | 6 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.004000 | 4.00 mm | 5 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.004750 | 4.75 mm | 4 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.005600 | 5.60 mm | 3.5 Mesh | 450 mm | 100 mm | ASTM E11 |
| 60.169.006300 | 6.30 mm | 1/4" | 450 mm | 100 mm | ASTM E11 |
| 60.169.006700 | 6.70 mm | 0.265" | 450 mm | 100 mm | ASTM E11 |
| 60.169.008000 | 8.00 mm | 5/16" | 450 mm | 100 mm | ASTM E11 |
| 60.169.009500 | 9.50 mm | 3/8" | 450 mm | 100 mm | ASTM E11 |
| 60.169.011200 | 11.20 mm | 7/16" | 450 mm | 100 mm | ASTM E11 |
| 60.169.012500 | 12.50 mm | 1/2" | 450 mm | 100 mm | ASTM E11 |
| 60.169.013200 | 13.20 mm | 0.530" | 450 mm | 100 mm | ASTM E11 |
| 60.169.016000 | 16.00 mm | 5/8" | 450 mm | 100 mm | ASTM E11 |
| 60.169.019000 | 19.00 mm | 3/4" | 450 mm | 100 mm | ASTM E11 |
| 60.169.022400 | 22.40 mm | 7/8" | 450 mm | 100 mm | ASTM E11 |
| 60.169.025000 | 25.00 mm | 1" | 450 mm | 100 mm | ASTM E11 |
| 60.169.026500 | 26.50 mm | 1.06" | 450 mm | 100 mm | ASTM E11 |
| 60.169.031500 | 31.50 mm | 1 1/4" | 450 mm | 100 mm | ASTM E11 |
| 60.169.037500 | 37.50 mm | 1 1/2" | 450 mm | 100 mm | ASTM E11 |
| 60.169.045000 | 45.00 mm | 1 3/4" | 450 mm | 100 mm | ASTM E11 |
| 60.169.050000 | 50.00 mm | 2" | 450 mm | 100 mm | ASTM E11 |
| 60.169.053000 | 53.00 mm | 2.12" | 450 mm | 100 mm | ASTM E11 |
| 60.169.063000 | 63.00 mm | 2 1/2" | 450 mm | 100 mm | ASTM E11 |
| 60.169.075000 | 75.00 mm | 3" | 450 mm | 100 mm | ASTM E11 |
| 60.169.090000 | 90.00 mm | 3 1/2" | 450 mm | 100 mm | ASTM E11 |
| 60.169.100000 | 100.00 mm | 4" | 450 mm | 100 mm | ASTM E11 |
| 60.169.106000 | 106.00 mm | 4.24" | 450 mm | 100 mm | ASTM E11 |

60.169.125000

125.00 mm

5"

450 mm

100 mm

ASTM E11